



## **CENTROX™ P (Aqueous Primer for Centrox)**

**PRODUCT INFORMATION BULLETIN**

**January 2010**

### **DESCRIPTION**

**Centrox™ P** is a special aqueous primer applied prior to Centrox™ L, LW and R when the treated concrete is:

- produced on a base of pozzolanic Portland cement
- deeply carbonized
- Badly leached

### **PACKAGING**

20 kg plastic containers.

### **BENEFIT**

Significantly increases the effectiveness of following Centrox Treatment for pozzolanic, deeply carbonized and badly leached concrete.

**Note:** Treatment with Centrox™ P increases the possibility of efflorescence of any following Centrox treatment. Such efflorescence will in no way impair the effectiveness of the treatment. If treated with Centrox™ L or Centrox™ R this efflorescence will disappear with trafficking or exposure to the elements. If treated with Centrox™ LW the efflorescence will appear as a blotchy white film which may take years to disappear and may be visually unacceptable.

### **INSTRUCTION FOR USE**

**Application rate:** Depends on the condition of concrete but usually in the range of 3 – 4 Sq Metres / Litre.

**Surface preparation:** Centrox™ P must be applied to a clean dry surface free of contaminants. Pressure washing is recommended as minimum preparation.

**Application:** Centrox™ P is a ready to use product which can be applied by spray, brush, mop or broom. Apply to a clean dry surface. Allow the surface to become touch dry (3-6 hours) and spray with water to fully wet.

**Note:** Centrox™ L, LW or R can be applied when the Centrox™ P treated concrete surface becomes touch dry.

### **HANDLING PRECAUTIONS**

- Protective gloves and clothing are recommended.
- Avoid contact with the skin.
- Material safety data sheet is available on request